

The I.D. of copper tube ends meets ASA Standard B16.18-1950 and ASA B16.22-1951.

Qty	Model	Nom. Size (in)	Actual O.D.* (in)	Nom. Hose I.D. (in)	A ± 1/8 (in)	B ± 1/4 (in)	C Max. (in)	Max. Pressure @ 70°F (PSI)**	Approx. Weight (Lbs)
	RAF-2	1/8	1/4	1/4	7 1/2	1/2	0.672	450	0.2
	RAF-3	1/4	3/8	5/16	8 1/4	5/8	0.766	450	0.3
	RAF-4	3/8	1/2	3/8	9	3/4	0.859	450	0.3
	RAF-5	1/2	5/8	1/2	9 3/4	7/8	1.031	450	0.4
	RAF-6	5/8	3/4	1/2	10	1	1.031	450	0.4
	RAF-7	5/8	3/4	3/4	11 1/4	1 1/8	1.406	440	0.8
	RAF-8	3/4	7/8	3/4	11 1/2	1 1/4	1.406	440	0.8
	RAF-9	1	1 1/8	1	13	1 1/2	1.781	400	1.3
	RAF-10	1 1/4	1 3/8	1 1/4	14 3/4	1 5/8	2.109	480	2.1
	RAF-11	1 1/2	1 5/8	1 1/2	17	2	2.438	420	3.0
	RAF-12	2	2 1/8	2	20	2 1/2	3.078	190	4.1
	RAF-13	2 1/2	2 5/8	2 1/2	24	2 29/32	3.969	320	5.4
	RAF-14	3	3 1/8	3	27	3 13/32	4.422	302	7.4
	RAF-15	3 1/2	3 5/8	3 1/2	32	3 29/32	5.000	168	9.3
	RAF-16	4	4 1/8	4	33	4 13/32	5.406	168	12.4

ALL UNITS CLEANED AND DEGREASED - PACKED IN POLY BAGS.

* Also identified as nominal size refrigeration and automotive tubing.

** Sizes from 2 1/2" employ stainless steel braided hose to assure high pressures.


Project Info



CUSTOMER: _____

PROJECT: _____

ENGINEER: _____

REV.	DATE
	
2323 W. HUBBARD ST. CHICAGO, IL 60612 TEL: 312-738-3800 FAX: 312-738-0415 WWW.METRAFLEX.COM	
MODEL RAF REFRIGERATION VIBRATION ABSORBER	
DRAWN BY: DKISH	DATE: 1/10/2014
APPROVED: JC	DATE: 1/10/2014
SCALE: NONE	DRAWING NUMBER: RAF